

Creating a load balancer

[Note: This document appears to be out of date]

```
openstack loadbalancer create --vip-network-id VLAN164 --name my-lb
openstack loadbalancer listener create --name listen-http --protocol HTTP --
protocol-port 80 my-lb
openstack loadbalancer listener create --name listen-https --protocol HTTPS
--protocol-port 443 my-lb
openstack loadbalancer pool create --name pool-http --lb-algorithm
ROUND_ROBIN --listener pool-http --protocol HTTP
openstack loadbalancer pool create --name pool-https --lb-algorithm
ROUND_ROBIN --listener pool-https --protocol HTTPS

cat virtual_hosts.txt | while read host;
do
    openstack loadbalancer member create --subnet-id 9f9a73fd-2a98-4cfb-
ac43-645b119e0135 --address $host --protocol-port 80 pool-http
    openstack loadbalancer member create --subnet-id 9f9a73fd-2a98-4cfb-
ac43-645b119e0135 --address $host --protocol-port 443 pool-https
done
```

The Result

A free IP on VLAN164 will immediately start listening on port 80 or 443 for HTTP, HTTPS. Any traffic to those ports will be replayed back to a healthy (responding) virtual instance on the subnet id 9f9a73fd-2a98-4cfb-ac43-645b119e0135.

Destroying Load Balancer

BUGS!

(beware: many/most of the comments on that bug are incorrect, including workarounds)

Otherwise, if the load balancer is online:

```
openstack loadbalancer delete my-lb --cascade
```

From:
<https://howto.cs.uchicago.edu/> - **How do I?**

Permanent link:
<https://howto.cs.uchicago.edu/recipe:lb>

Last update: **2020/05/14 14:38**

