

Mail Readers

We do not recommend any particular mail reader. Many are available on our computer systems, including Alpine, Mutt, and Thunderbird.

Stop Forwarding First

By default we forward your CS mail to username@uchicago.edu. If you would like to use the CS mail server directly please send us an email to stop the forwarding.

IMAP Client Configuration

@cs.uchicago.edu

Email Address	user@cs.uchicago.edu
Mail Server Type	IMAP
Username	<cnetid>
Password	<cnetid password>
Incoming Mail Server	imap.cs.uchicago.edu
Security	START/TLS
Port	993
Authentication Method	Normal Password
Outgoing Mail Server	smtp.cs.uchicago.edu
Security	START/TLS
Port	587
Authentication Method	Normal Password

@uchicago.edu (O365)

Email Address	user@uchicago.edu
Mail Server Type	IMAP
Username	<cnetid>@uchicago.edu
Password	<cnetid password>
Incoming Mail Server	outlook.office365.com
Security	START/TLS
Port	143
Authentication Method	OAuth2
Outgoing Mail Server	outlook.office365.com
Security	START/TLS
Port	587
Authentication Method	OAuth2

If you are using the Mutt mail client, see [Mutt Usage](#)

From:

<https://howto.cs.uchicago.edu/> - **How do I?**

Permanent link:

https://howto.cs.uchicago.edu/techstaff:setup_a_mail_client

Last update: **2021/03/18 12:13**

