

Mail Readers

We do not recommend any particular mail reader. Many are available on our computer systems, including Alpine, Mutt, and Thunderbird.

Stop Forwarding First

By default we forward your CS mail to username@uchicago.edu. If you would like to use the CS mail server directly please send us an email to stop the forwarding.

IMAP Client Configuration

@cs.uchicago.edu

| | |
|-----------------------|----------------------|
| Email Address | user@cs.uchicago.edu |
| Mail Server Type | IMAP |
| Username | <cnetid> |
| Password | <cnetid password> |
| Incoming Mail Server | imap.cs.uchicago.edu |
| Security | START/TLS |
| Port | 993 |
| Authentication Method | Normal Password |
| Outgoing Mail Server | smtp.cs.uchicago.edu |
| Security | START/TLS |
| Port | 587 |
| Authentication Method | Normal Password |

@uchicago.edu (O365)

| | |
|-----------------------|-----------------------|
| Email Address | user@uchicago.edu |
| Mail Server Type | IMAP |
| Username | <cnetid>@uchicago.edu |
| Password | <cnetid password> |
| Incoming Mail Server | outlook.office365.com |
| Security | START/TLS |
| Port | 143 |
| Authentication Method | OAuth2 |
| Outgoing Mail Server | outlook.office365.com |
| Security | START/TLS |
| Port | 587 |
| Authentication Method | OAuth2 |

If you are using the Mutt mail client, see [Mutt Usage](#)

From:

<https://howto.cs.uchicago.edu/> - **How do I?**

Permanent link:

https://howto.cs.uchicago.edu/techstaff:setup_a_mail_client

Last update: **2021/03/18 12:13**

