

## Mail Readers

We do not recommend any particular mail reader. Many are available on our computer systems, including Alpine, Mutt, and Thunderbird.

## Stop Forwarding First

By default we forward your CS mail to username@uchicago.edu. If you would like to use the CS mail server directly please send us an email to stop the forwarding.

## IMAP Client Configuration

### @cs.uchicago.edu

Email Address	user@cs.uchicago.edu
Mail Server Type	IMAP
Username	<cnetid>
Password	<cnetid password>
Incoming Mail Server	imap.cs.uchicago.edu
Security	START/TLS
Port	993
Authentication Method	Normal Password
Outgoing Mail Server	smtp.cs.uchicago.edu
Security	START/TLS
Port	587
Authentication Method	Normal Password

### @uchicago.edu (O365)

Email Address	user@uchicago.edu
Mail Server Type	IMAP
Username	<cnetid>@uchicago.edu
Password	<cnetid password>
Incoming Mail Server	outlook.office365.com
Security	START/TLS
Port	143
Authentication Method	OAuth2
Outgoing Mail Server	outlook.office365.com
Security	START/TLS
Port	587
Authentication Method	OAuth2

If you are using the Mutt mail client, see [Mutt Usage](#)

From:

<https://howto.cs.uchicago.edu/> - **How do I?**

Permanent link:

[https://howto.cs.uchicago.edu/techstaff:setup\\_a\\_mail\\_client](https://howto.cs.uchicago.edu/techstaff:setup_a_mail_client)

Last update: **2021/03/18 12:13**

